

Ar/IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

CAVAZZA

Atty. Ref.: 2818-180; Confirmation No. 9382

Appl. No. 10/724,175

TC/A.U. 1614

Filed: December 1, 2003

Examiner: Henley

For: TREATING CHRONIC UREMIC PATIENTS UNDERGOING PERIODICAL DIALYSIS

* * * * *

December 21, 2004

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE TO FINAL REJECTION

This is responsive to the Official Action dated December 15, 2004. Claims 1, 6-9 and 11-19 are pending in this application.

The sole issue is an obviousness-type double patenting rejection of these claims over claims 1-16 of U.S. Patent No. 6,429,230, a rejection made in a previous action and inadvertently overlooked in the Amendment and response of November 10, 2004.


Attached is a Terminal Disclaimer relating to U.S. Patent No. 6,429,230. This submission resolves all issue; allowance of claims 1, 6-9 and 11-19 is solicited.

CAVAZZA
Appl. No. 10/724,175
December 21, 2004

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: _____


Arthur R. Crawford
Reg. No. 25,327

ARC:eaw
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100